

## Dielectric (Laser) Mirrors

prices (EUR / pc) for standard mirrors

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
157 / F <sub>2</sub> / 92	150 / 160 / 190 / 220	150 / 160 / 190	230 / 240
193 / ArF / 92	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
204 / Yb:KYW / 92	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
205 / Yb:KGW / 92	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
206 / Yb:YAG / 92	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
209 / Nd:YLF / 92	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
209-245/Ti:Sapphire/ 92	by request	by request	by request
213 / Nd:YAG / 95	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
216 / Nd:YAIO <sub>3</sub> / 95	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
235-330 / Ti:Sapphire / 95	by request	by request	by request
244-257 / Ar-Ion / 99	30 / 70 / 140 / 220	60 / 70 / 120	230 / 240
248 / KrF / 99	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
255 / Yb:KYW / 99.5	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
256 / Yb:KGW / 99.5	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
258 / Yb:YAG / 99.5	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
262 / Nd:YLF / 99.5	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
266 / Nd:YAG / 99.8	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
270 / Nd:YAIO <sub>3</sub> / 99.8	30 / 60 / 110 / 170	50 / 60 / 100	180 / 200
281 / XeBr / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
300-308 / Ar-Ion / 99.5	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
308 / XeCl / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
320 / DPSS / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200

prices (EUR / pc) for standard mirrors

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
320 / DPSS / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
325 / HeCd / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
325-442 / HeCd / 99	by request	by request	by request
334-351 / Ar-Ion / 99.5	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
337 / Nitrogen / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
340 / Yb:KYW / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
341 / Yb:KGW / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
343 / Yb:YAG / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
345-500/Ti:Sapphire/99	by request	by request	by request
347 / Ruby / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
350 / Nd:YLF / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
352 / XeF / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
351 / Ar-Ion / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
351-364 / Ar-Ion / 99.5	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
355 / Nd:YAG / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
360 / Nd:YAlO <sub>3</sub> / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
364 / Ar-Ion / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
365 / DPSS / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
375 / diode laser / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
395 / diode laser / 99.8	30 / 40 / 70 / 170	50 / 60 / 100	180 / 200
405 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
410-710/OPO tunable/99	by request	by request	by request
415 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
425 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
425-710/OPO tunable/99	by request	by request	by request
435 / Tm:YLF / 99	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
442 / HeCd / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190

prices (EUR / pc) for standard mirrors

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
442 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
445 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
450 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
457 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
457 / Nd:YVO <sub>4</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
457-676 / Ar-Kr / 99	by request	by request	by request
457-515 / Ar-Ion / 99	by request	by request	by request
457 / Ar-Ion / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
460 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
473 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
473 / Nd:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
476-647 / Ar-Ion / 99	by request	by request	by request
476-676 / Ar-Kr / 99	by request	by request	by request
488 / Ar-Ion / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
488 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
505 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
510 / Yb:KYW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
511 / Yb:KGW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
511 / Copper Vapor / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
515 / Ar-Ion / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
515 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
515 / Yb:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
520 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
520-647 / Kr-Ion / 99	by request	by request	by request
524 / Nd:YLF / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
532 / Nd:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
540 / Nd:YAIO <sub>3</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190

prices (EUR / pc) for standard mirrors

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
543 / He-Ne / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
546 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
552 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
561 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
570-640 / Dye / 99.5	by request	by request	by request
578 / Copper Vapor / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
580-680 / Forsterite / 99.5	by request	by request	by request
589 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
594 / He-Ne / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
594 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
607 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
633 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
633 / He-Ne / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
635 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
637 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
638 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
640 / DPSS / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
647-676 / Kr-Ion / 99.5	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
647-676 / Ar-Ion / 99.5	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
650 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
660 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
660 / Nd:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
670 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
671 / Nd:YAIO <sub>3</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
676 / Kr-Ion / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
685 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
694 / Ruby / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190

prices (EUR / pc) for standard mirrors

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
690-1000 / Ti:Sapphire / 99	by request	by request	by request
700-820 / Alexandrite/ 99.5	by request	by request	by request
705 / diode laser / 99.5	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
720-780 / Alexandrite / 99.5	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
730 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
750 / Ho:YLF / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
780 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
785 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
808 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
830 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
850 / Er:YLF / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
911 Nd:KGW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
914 / Nd:YVO <sub>4</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
915 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
940 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
946 / Nd:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
980 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1020 / Yb:KYW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1020-1060 / Yb:CaF <sub>2</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1020-1060 / Yb:KYW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1023 / Yb:KGW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1030 / Yb:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1047 / Nd:YLF / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1047-1087 / Nd:glass / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1050 / Yb:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1063 / Nd:GdVO <sub>4</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1064 / diode laser / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190

prices (EUR / pc) for standard mirrors

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
1064 / Nd:YAG / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1064 / Nd:YVO <sub>4</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1067 / Nd:KYW / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1080 / Nd:YAIO <sub>3</sub> / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1089 / Tm:YLF / 99.8	25 / 35 / 60 / 100	40 / 50 / 60	110 / 190
1123 / Nd:YAG / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1150 / He-Ne / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1160-1360 / Forsterite / 99	by request	by request	by request
1300 / diode laser / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1313 / Nd:YLF / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1315 / Iodine / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1319 / Nd:YAG / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1324 / Nd:YLF / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1324 / Nd:YVO <sub>4</sub> / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1330-1580/ Cr:YAG / 99	by request	by request	by request
1342 / Nd:YAIO <sub>3</sub> / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1351 / Nd:KGW / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1370 / Nd:YLF / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1540 / Er:glass / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1550 / diode laser / 99.8	25 / 35 / 60 / 110	40 / 50 / 70	130 / 220
1870 / diode laser / 99.8	30 / 40 / 70 / 150	40 / 60 / 80	160 / 290
2060 / Ho:YLF / 99.8	30 / 40 / 70 / 150	40 / 60 / 80	160 / 290
2200 / diode laser / 99.8	30 / 40 / 70 / 150	40 / 60 / 80	160 / 290
2300 / Tm:YLF / 99.8	30 / 40 / 70 / 150	40 / 60 / 80	160 / 290
2797 / Er:YSGG / 99.8	30 / 40 / 80 / 170	50 / 60 / 100	180 / 330
2810 / Er:YLF / 99.8	30 / 40 / 80 / 170	50 / 60 / 100	180 / 330
2823 / Er:YSGG / 99.8	30 / 40 / 80 / 170	50 / 60 / 100	180 / 330

**prices (EUR / pc) for standard mirrors**

laserline, nm reflection, %	round	elliptical	rectangle
	dia 12.5 x 2.5mm dia 25.0(25.4) x 5(6)mm dia 38.1 x 6mm dia 50.0(50.8) x 6mm	12.5 x 17.6 x 2mm 17.7 x 25.0 x 3mm 30.0 x 42.5 x 4mm	50.0 x 50.0 x 6mm round 63.5 x 10mm
2940 / Er:YAG / 99.8	30 / 40 / 80 / 170	50 / 60 / 100	180 / 330
3391-3392 / He-Ne / 99	by request	by request	by request
3500 / He-Ne / 99	by request	by request	by request
5400 / He-Ne / 99	by request	by request	by request
9200-10800 / CO <sub>2</sub>	by request	by request	by request
10600 / CO <sub>2</sub>	by request	by request	by request